Application SN

10/008,940

Amendment Dated:

August 3, 2004

Reply to Office Action of:

July 13, 2004

Amendments to the Claims

- 1. (CANCEL)
- 5 2. (CANCEL)
 - 3. (Currently Amended) The display of Claim [[1]] 11 wherein said first panel carries multiple character sets.
- 10 4. (CANCEL)
 - 5. (Currently Amended) The display of Claim [[1]] 11 wherein said display further includes a frame.
- 6. (Currently Amended) The display of Claim [[1]] 11 wherein said panels [[is]] are fabricated from the group of materials consisting of plastic, cardboard, fiberboard and corrugated board.

5

10

15

Application SN 10/008,940 Amendment Dated: August 3, 2004 Reply to Office Action of: July 13, 2004

- 7. (Currently Amended) The display of Claim [[1]] 11 further including a transparent cover extending over said first panel.
- 8. (Currently Amended) The display of Claim [[1]] 11 wherein said first color on the first surface of said segments is a flourescent fluorescent color and said second color on said second surface is a dark color.
 - 9. (Currently Amended) The display of Claim [[1]] 11 wherein said character [[set]] sets comprises seven segments.
 - 10. (Currently Amended) The display of Claim [[1]] 11 further including a stand supporting said display.
 - 11. (New) A display comprising:
 - (a) a first panel having a front surface and a rear surface;
 - (b) at least one first character set on said front surface, said first character set comprising segments arranged in a manner corresponding to an alphanumeric display;

5

10

15

Application SN

10/008,940

Amendment Dated:

August 3, 2004

Reply to Office Action of:

July 13, 2004

- each of said segments being a generally elongated geometric shape having opposite ends;
- (d) said segments having a first surface in a first color and an opposite second surface having a color corresponding to the color of the front surface of the first panel;
- (e) at least one second character set on said rear surface, said character set comprising segments arranged in a manner corresponding to an alphanumeric display;
- each of said segments being a generally elongated geometric shape having opposite ends;
- (g) said segments having a first surface in a first color and an opposite second surface having a color corresponding to the color of the rear surface of the panel; and
- (h) the segments on said first surface being connected *via* holes in said panel by elastomeric members to the segments on the second surface by elastomeric members whereby the user may rotate the segments on either surface to display a selected number.